

MATERIAL SAFETY DATA SHEET

(Prepared according to 29 CFR 1910. 1200)

Date Prepared: 2-27-03

HAZARD RATING 4-EXTREME 3-HIGH 2-MODERATE 1-SLIGHT 0-INSIGNIFICANT	<table style="margin: auto;"> <tr> <td style="text-align: center;">Fire</td> <td style="text-align: center;">2</td> <td style="text-align: center;">Reactivity</td> </tr> <tr> <td style="text-align: center;">Health</td> <td style="text-align: center;">0</td> <td style="text-align: center;">Special</td> </tr> </table>	Fire	2	Reactivity	Health	0	Special
Fire	2	Reactivity					
Health	0	Special					

SECTION 1 - PRODUCT IDENTIFICATION

Company Name Parish Maintenance Supply Corp.	Emergency Telephone No. 800-535-5053
Address 1015 East Hiawatha Blvd., Syracuse, NY 13208	Information Telephone No. 315-422-1495
Product Name / ID# Liquid Prepared Wax (7255)	Product Type Wood Floor Wax <input checked="" type="checkbox"/> Proprietary Product

SECTION 2 - HAZARDOUS INGREDIENTS

Chemical Name/Common Name	Cas No.	Percent (optional)	TLV (Source)
Naphtha, Petroleum	8030-30-6	< 95%	100 ppm (ACGIH)
			500 ppm (OSHA-PEL)

* Substances Contains no substances - subject to the reporting requirements of SARA 313 and 40 CFR Part 372.

SECTION 3 - PHYSICAL DATA

Boiling Point (°F) 320°F	Specific Gravity (H₂O=1.0) 0.79 ± 0.005	pH NA	% VOC (ww) 90 %
Solubility In Water	<input type="checkbox"/> Complete <input checked="" type="checkbox"/> Insoluble	<input type="checkbox"/> Emulsifiable or (Dispersible)	<input type="checkbox"/> Slight (or Partial)
Evaporation Rate (vs H₂O)	<input checked="" type="checkbox"/> Faster <input type="checkbox"/> Slower <input type="checkbox"/> About the Same	Vapor Pressure NE	Vapor Density NE

Appearance and Odor White opaque, viscous liquid. Solvent odor.

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (T.C.C.) 105°F None to boiling **Flammable Limits** **Upper** NE **Lower** NE

Extinguishing Media Dry chemical, foam or carbon dioxide.

Special Fire Fighting Procedures Use water spray to cool fire exposed containers. Wear self-contained breathing apparatus.

Unusual Fire Explosion Hazards None

SECTION 5 - REACTIVE DATA

Stability Stable **Incompatibility** Avoid strong oxidizing & reducing agents.

Hazardous Decomposition Products Combustion may yield Carbon Monoxide and/or Carbon Dioxide.

SECTION 6 - HEALTH HAZARDS

Threshold Limit Value Product See Section 2 for Ingredients TLV None Established Not Applicable Primary routes of Exposure Eyes Skin Oral Inhalation

Signs Symptoms of Over-exposure (Acute) May cause mild eye irritation. Causes skin irritation. Breathing high concentrations of vapors may cause irritation of the nose and throat, and central nervous system depression (i.e. headache, dizziness, etc.). Aspiration hazard - material can get into the lungs during swallowing or vomiting and cause inflammation or other lung injury.

Signs Symptoms of Over-exposure (Chronic) Prolonged or repeated contact may dry the skin.

Medical Conditions Aggravated by Over-exposure Pre-existing skin & lung disorders.

Carcinogen/Suspected Carcinogen Ingredients: NTP IARC OSHA None

SECTION 7 - FIRST AID PROCEDURES - (If any Condition persists - Consult a physician.)

Eyes Flush with water for 15 minutes. If condition persists, consult a physician.

Skin Wash affected areas with plenty of water for 5-10 minutes. Remove any contaminated clothing and wash before reuse.

Ingestion Do NOT induce vomiting or give anything by mouth as there is a possibility of product reaching the lungs and causing damage.

Inhalation Remove to fresh air. If qualified, give oxygen or artificial respiration as needed and/or seek medical help.

SECTION 8 - SPECIAL PROTECTION INFORMATION

Respiratory Protection If concentration exceeds exposure limit, use NIOSH approved gas mask.

Ventilation requirements Local Exhaust Mechanical As needed to keep below any listed TLV and/or for general good ventilation.

Protective Gloves Rubber **Eye Protection** Safety glasses or goggles.

Other Protective Clothing Normally none, but impervious clothing should be worn as needed to prevent skin contact.

SECTION 9 - SPILL OR LEAK PROCEDURES

Steps to be Taken if Released or Spilled Dike area to contain spill. Absorb material onto appropriate absorbent material.

Waste Disposal Methods Place in D.O.T. approved drum. Check all government regulations for disposal.

SECTION 10 - STORAGE AND HANDLING INFORMATION

Precautions to be Taken in handling and Storage Store in well ventilated, cool area in tightly closed containers. Keep out of reach of children. Wash thoroughly after handling.